	Type	Hits	Search Text
1	BRS	5621	429/13,17,30.ccls.
2	BRS	1	10/780,488 and S10
3	BRS	2	"6391485".pn.
4	BRS	2	"6514635".pn.
5	BRS	2	"6645650".pn.
6	BRS	2	"6519510".pn.
7	BRS	241265	predetermined with voltage
8	BRS	2	"20030077487"
9	BRS	2	"20020076582"
10	BRS	12	S12 S13 S14 S15 S16 S17
11	BRS	12	S18 and @ad<"20040218"

	DBs
	US-PGPUB; USPAT;
1	USOCR; EPO; JPO;
	DERWENT
	US-PGPUB; USPAT;
2	USOCR; EPO; JPO;
	DERWENT
	US-PGPUB; USPAT;
3	USOCR; EPO; JPO;
	DERWENT
	US-PGPUB; USPAT;
4	USOCR; EPO; JPO;
	DERWENT
	US-PGPUB; USPAT;
5	USOCR; EPO; JPO;
	DERWENT
_	US-PGPUB; USPAT;
6	USOCR; EPO; JPO;
	DERWENT
_	US-PGPUB; USPAT;
7	USOCR; EPO; JPO;
	DERWENT
0	US-PGPUB; USPAT;
8	USOCR; EPO; JPO; DERWENT
9	US-PGPUB; USPAT; USOCR; EPO; JPO;
9	DERWENT
	US-PGPUB; USPAT;
10	USOCR; EPO; JPO;
	DERWENT
	US-PGPUB; USPAT;
11	USOCR; EPO; JPO;
	DERWENT
L	

	Type	Hits	Search Text
12	BRS	885	recirculation same (fuel adj cell)
13	BRS	38	S21 and @ad<"20040218"
14	BRS	5	S22 and (starting shutting)
15	BRS	42	S20 and general.as.
16	BRS	885	recirculation same (fuel adj cell)
17	BRS	42	S24 and general.as.
18	BRS	6	S25 and (starting shutting)
19	BRS	12	S28 S29 S30 S31 S32 S33
20	BRS	4737890	"19" and "20"
21	BRS	2	"6391485".pn.
22	BRS	2	"6519510".pn.

	DBs
	US-PGPUB; USPAT;
12	USOCR; EPO; JPO;
	DERWENT
	US-PGPUB; USPAT;
13	USOCR; EPO; JPO;
	DERWENT
	US-PGPUB; USPAT;
14	USOCR; EPO; JPO;
	DERWENT
	US-PGPUB; USPAT;
15	USOCR; EPO; JPO;
	DERWENT
	US-PGPUB; USPAT;
16	USOCR; EPO; JPO;
	DERWENT
	US-PGPUB; USPAT;
17	USOCR; EPO; JPO;
	DERWENT
	US-PGPUB; USPAT;
18	USOCR; EPO; JPO;
	DERWENT
	US-PGPUB; USPAT;
19	USOCR; EPO; JPO;
	DERWENT
	US-PGPUB; USPAT;
20	USOCR; EPO; JPO;
	DERWENT
	US-PGPUB; USPAT;
21	USOCR; EPO; JPO;
	DERWENT
	US-PGPUB; USPAT;
22	USOCR; EPO; JPO;
	DERWENT

	Type	Hits	Search Text
23	BRS	2	"6645650".pn.
24	BRS	2	"6514635".pn.
25	BRS	2	"20030077487"
26	BRS	2	"20020076582"
27	BRS	12	S34 and @ad<"20040218"
28	BRS	885	recirculation same (fuel adj cell)
29	BRS	2	S35 and S36
30	BRS	55	anode with purged with air
31	BRS	115	cathode with purged with (fuel hydrogen)
32	BRS	2	S37 and (S38 S39)
33	BRS	322	S41 and "429"/\$.ccls.

	DBs
23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT

	Type	Hits	Search Text
34	BRS	239	S42 and @ad<"20040218"
35	BRS	1362	(recycle recirculate recirculation) with cathode
36	BRS	55	anode with purged with air
37	BRS	115	cathode with purged with (fuel hydrogen)
38	BRS	145	S44 S45
39	BRS	22	S43 and S46
40	BRS	0	S51 and (start starting shutting shut)
41	BRS	188	S49 and (start starting shutting shut)
42	BRS	2	"20040146761"
43	BRS	2548	429/13.ccls.
44	BRS	3220	429/34.ccls.

	DBs
	US-PGPUB; USPAT;
34	USOCR; EPO; JPO;
	DERWENT
	US-PGPUB; USPAT;
35	USOCR; EPO; JPO;
	DERWENT
	US-PGPUB; USPAT;
36	USOCR; EPO; JPO;
	DERWENT
	US-PGPUB; USPAT;
37	USOCR; EPO; JPO;
	DERWENT
	US-PGPUB; USPAT;
38	USOCR; EPO; JPO;
	DERWENT
	US-PGPUB; USPAT;
39	USOCR; EPO; JPO;
	DERWENT
	US-PGPUB; USPAT;
40	USOCR; EPO; JPO;
	DERWENT
	US-PGPUB; USPAT;
41	USOCR; EPO; JPO;
<u> </u>	DERWENT
	US-PGPUB; USPAT;
42	USOCR; EPO; JPO;
	DERWENT
	US-PGPUB; USPAT;
43	USOCR; EPO; JPO;
	DERWENT
	US-PGPUB; USPAT;
44	USOCR; EPO; JPO;
	DERWENT